



EMPIRE

INSTITUTE OF BEAUTY & AESTHETICS

Prophilo[®]

Consultation form

Client Name	D.O.B / /
Address	Contact Number
	Email
Postcode	
How did you hear about us? (Please circle) <i>Social Media Word of Mouth Leaflet Internet Other</i>	
<i>For your client records, do we have your permission to take before and after photographs?</i>	
Yes	No
<i>For Social Media and marketing, do we have your permission to take before and after photographs?</i>	
Yes	No

Medical Questionnaire *It is imperative that you answer all the following questions truthfully*

	Yes	No
Are you pregnant or breastfeeding?		
Do you have a history of any severe allergies or anaphylaxis?		
Are you currently receiving any medical treatment? If Yes, please give more details		
Have you had any treatments such as Microdermabrasion/Skin peel/Laser etc? If yes, please write the full date(s) of treatment(s).		
Have you had any previous aesthetic treatments such as Dermal fillers, Botulinum Toxin A, PDO Threads, Profhilo etc.. If yes, write the treatment you had, what area(s) were treated and the full date.		
Do you suffer from any auto-immune disease? (e.g Graves/Hashimoto/Lupus/MS/Rheumatoid arthritis/Diabetes (type 1))		
Do you have any Skin conditions or suffer from Cold Sores? (e.g. Herpes, Acne etc.)		
Are you currently taking any steroids, aspirin or anticoagulant?		
Do you suffer from any allergies?		
Are you allergic to Lidocaine? (present in topical Numbing creams and Dermal fillers)		
Do you suffer from untreated epilepsy?		
Do you tend to develop hypertrophic scarring?		
Do you suffer from cardiac conduction disorders?		

*If the answer to any of the questions above is **Yes**, then your practitioner may ask for further details. Treatment may be refused if it is not considered in your own interest to proceed.*

Profhilo® Informed Consent

Dermal filler and Profhilo® are made from stabilised non animal based hyaluronic acid. Dermal fillers may also contain Lidocaine as a local anaesthetic. These products are injected into the skin to correct lines, wrinkles and folds and to sculpt lips. They may also restore elasticity to the skin and reduce surface irregularities on the facial skin. The ideal areas to treat are the mid and lower face.

Good results may be obtained after a single session with dermal filler and two sessions with Profhilo® and may last from 6-12 months.

Topical anaesthetic can be offered if required.

Most people find that the injections cause only mild discomfort. Immediately after the injection, there may be mild swelling, tenderness and redness which usually subsides in 48 hours. The effects of the filler are seen immediately with constant improvement over the following 14 days. Profhilo® results are seen within a week, two treatments one month apart are most effective with Profhilo® and subsequent top ups are advised six-month intervals to maintain the effect.

Side effects of this treatment are rare. Very rarely, inflammatory reactions occur and can arise days and weeks after the treatment, but these usually subside over time without the need for further treatment.

If you are pregnant or breastfeeding, this treatment is not recommended.

The aim of treatment is just for an improvement, not perfection.

Treatment with dermal fillers and Profhilo® have limitations, these have been explained to me fully and I understand that my expectations may not be completely met.

Each treatment will be charged individually according to the amount of product used.

I have been fully informed by my treating practitioner of the risks and possible consequences involved in the above treatment. I have been advised that all forms of surgery including injections, carry potential risks and that these treatments are not medically necessary and are purely aimed at cosmetic enhancement. I hereby authorise my treating practitioner to administer such treatment to me and agree to hold her free and harmless from any claims, suits or damages for any injury or complications resulting from this treatment.

Client Name _____ Date _____

Client Signature _____

Client records

Batch number (please stick label here)

Date.....

Area Treated.....


Notes.....

.....

.....

.....

.....



Batch number (please stick label here)

Date.....


Area Treated.....

Notes.....

.....

.....

.....



Batch number (please stick label here)

Date.....

Area Treated.....


Notes.....

.....

.....

.....

.....



Batch number (please stick label here)

Date.....

Area Treated.....

Notes.....

.....

.....

.....

.....



PROFHILO® AFTERCARE

You can have Profhilo treatment and continue with your day to day activities. However, we do advise that you avoid wearing makeup, or touching your face after treatment. This will help to reduce the risk of any potential infection.

After the treatment, it is recommended to avoid physical strain and sports for 24 hours. Please also avoid having further cosmetic procedures for 48 hours. It is not recommended to have a sauna or a hot steam bath for the first few days either. It's best to stay out of the sun if any bruising or prolonged swelling occurs.